Application No.: 10/709,467

To the Drawings:

The attached replacement sheets of drawings include changes to FIGs. 2, 3, 4 and

The sheets shall replace the original sheets for FIGs. 2, 3, 4 and 5. More

specifically, in FIG. 2, the reference characters "122" and "124" are designated as the

source driver and the gate driver respectively, and the reference characters designating

the data provided to the source driver and the data provided to the gate driver

respectively are amended as "To 122" and "To 124." Similarly, the reference

characters "202" and "204" are designated respectively as the gate driver and the source

driver in FIGs. 3, 4, and 5, while the reference characters designating the data provided

to the gate driver and the data provided to the source driver are amended as "To 202"

and "To 204" respectively.

More specifically, in FIG. 3, the reference characters "200d" was wrongly

designated as no device, and the reference characters "200d" is amended herein as being

designated to the storage device.

Attachment: Replacement Sheets in 4 pages.

Application No.: 10/709,467

<u>REMARKS</u>

This is a full and timely response to the outstanding First Office Action of July 9,

2007. Applicant has noted with great appreciation that the Examiner acknowledged

receipt of all certified copies of the priority documents in connection with the present

application and that all submitted papers have been placed of record in the file.

Present Status of the Application

Claims 1-21 remain pending in the present application. Specifically, the Office

Action rejected Claims 1-21 as being anticipated by Naito (US 6,462,735 B2).

Applicant respectfully traverses the judgments. In response thereto, Applicant has

amended "color management data" to read "digital color management data" as recited

in Claims 1, 2, 4, 5, 8, 14, 17, 19, 20 and 21 and presents arguments in the following

discussions to overcome the rejections.

Further, the Office Action objected to Claims 6 and 12 for their informalities. In

response thereto, Applicant has changed "driving" to "drive" in lines 3 of Claims 6 and

12 respectively to render both claims fully compliant with the instructions.

The Office Action also objected to the drawings FIG. 1, and FIG. 2, 3 and 5 for

failing to comply with 37 CFR 1.84(p)(5) and 1.84(p)(4) respectively. In response

thereto, Applicant has amended paragraph [0007] of the specification and FIGs. 2, 3, 4

and 5 to overcome the objections.

Application No.: 10/709,467

Objections to the Drawings

The Office Action indicated that the following references characters in FIG. 1,

POL, CLK1, SHL, DIO2, DIO1, CLKN, CLKP, D22N, D22P, D01N, D01P, D00N,

D00P and DATPOL, were not mentioned in the description. In response thereto,

Applicant has added the above-mentioned reference characters to paragraph [0007] of

the specification and thereby providing them clear and unambiguous support in the

disclosure of the present application. Applicant respectfully submits that the objection

to FIG. 1 has thus been overcome.

Further, the Office Action pointed out that each of the reference characters "122,"

"124," "204," and "202" in FIGs. 2, 3 and 5 was used to designate both source/gate

drivers and the data provided to the source/gate drivers. In response thereto, Applicant

has amended and re-designated the aforesaid reference characters. The reference

characters "122" and "124" in FIG. 2 are designated as the source driver and the gate

driver respectively, and the reference characters designating the data provided to the

source driver and the data provided to the gate driver respectively are amended as "To

122" and "To 124." Similarly, the reference characters "202" and "204" are

designated respectively as the gate driver and the source driver in FIGs. 3, 4, and 5,

while the reference characters designating the data provided to the gate driver and the

data provided to the source driver are amended as "To 202" and "To 204" respectively.

Further, regarding FIG. 3, while being filed as a new application, the referenced

"200d" in FIG. 3 was mistakenly designated as no device, and thus, Applicant

Application No.: 10/709,467

71ppiication 140.. 10/7003,707

respectfully amends FIG. 3 so that the reference characters "200d" is amended as being

designated as the storage device. Applicant respectfully states that the amendment is

supported by the original paragraph [0025] of the specification without introducing any

new matter.

Upon entry of the above-mentioned amendments to paragraph [0007] and FIGs. 2,

3, 4, and 5 of the present application, Applicant respectfully submits that all the current

objections to the drawings have been successfully overcome and rendered moot.

Reconsideration and allowance of the pending drawings is most respectfully requested.

Objections to Claims 6 & 12

Claims 6 and 12 are objected to because of the following informalities: "driving"

should be changed to "drive" (see line 3).

Applicant has amended "driving" as "drive" in respective lines 3 of Claims 6 and

12 exactly as instructed by the Examiner. Accordingly, upon entry of the

above-mentioned amendments, objections to Claims 6 and 12 are submitted to have

been overcome and both claims of the present application are thus in patentable form.

Claim Rejections Under 35 U.S.C. §102(b)

Claims 1-21 are rejected under 35 U.S.C. 102(b) as being anticipated by Naito

(US 6,462,735 B2).

Applicant respectfully traverses the rejections and amends "color management

data" in Claims 1, 2, 4, 5, 8, 14, 17, 19, 20 and 21 as "digital color management data."

Application No.: 10/709,467

Unambiguous support for the amendment can be found in paragraphs [0030] and

[0033].

With respect to Applicant's Claim 1, as currently amended, it recites in part,

A color management structure for a panel display, comprising:

a timing sequence control unit, said timing sequence control unit outputting a

plurality of signals to said plurality of gate drivers and said plurality of source

drivers to drive said display array unit, said timing sequence control unit

outputting a clock signal and a digital color management data to said

plurality of source drivers." (Emphasis added)

The Examiner held that "timing sequence control unit" of Claim 1 of the present

application is analogous to "the signal-processing circuit 200" in FIG. 2 of Naito (US

6,462,735 B2, hereinafter as "Naito") and that "said timing sequence control unit

outputting a clock signal" recited in Claim 1 of the instant case has been disclosed by

the clock generation circuit 1008 of FIG. 9 in Naito.

However, the clock generation circuit 1008 in FIG. 9 of Naito is not included in

the signal-processing circuit 200 in FIG. 2 of Naito. In other words, the

signal-processing circuit 200 of Naito does not output clock signals. Hence, the

signal-processing unit 200 of Naito is clearly distinct from the timing sequence control

unit of the instant case.

From another aspect, in the present application, since the timing sequence

control unit outputs clock signals, the timing sequence control unit has a function of

timing control. Whereas the signal-processing unit 200 in Naito merely converts

Application No.: 10/709,467

digital picture signals into analog picture signals and then outputs the analog picture signals (lines 28-41, col. 7). The signal-processing unit 200 does not output any

signals related to clock signals and thus does not have a function of timing control.

Accordingly, Applicant respectfully asserts that Naito does not teach, disclose or

suggest in any way the technical feature "said timing sequence control unit outputting a

clock signal" as recited in Claim 1 of the present application.

According to the MPEP 2131, "To anticapate a claim, the reference must teach

every element of the claim", so that the rejection to Claim 1 under 35 U.S.C. §102(b) is

respectfully requested to withdraw.

Furthermore, the Examiner opined that the recitation of Claim 1 "said timing

sequence control unit outputting a digital color management data to said plurality of

source drivers" has been disclosed by Naito (column 15, line 50-column 16, line 31).

Applicant respectfully submits that Naito has disclosed in column 15, lines 60-62, "The

display information processing circuit 1002 performs processing of display information

for output..." while paragraph [0030] of the present application, as mentioned above,

has clearly described that the color management data is in a digital form. It follows

that the digital color management data outputted by the timing sequence control unit

of Claim 1 of the instant case is a digital signal rather than display information.

Therefore, Naito does not in any way disclose the technical feature "said timing

sequence control unit outputting a digital color management data to said plurality of

source drivers" either.

From another aspect, the manner in which signals are processed as disclosed in

Naito is apparently different from that in the present application. In Naito, the input

Application No.: 10/709,467

signal in FIG. 1 is first converted by the A/D converter 100 and then analog picture

signals are converted and outputted by the D/A conversion block 260. In contrast, the

signal-processing manner of the instant case does not need A/D and D/A conversions.

As illustrated and stated in FIG. 5 and paragraph [0033] of the present application, the

input and output signals of the timing sequence control unit 256 are both digital signals.

Applicant submits that the digital color management data outputted by the

timing sequence control unit of the present application is a digital signal; and the

content of the digital signal relates to a gamma correction data. The digital signal will

be transmitted to the source driver, and then the digital signal is decoded to produce

gamma voltages. One of the most distinctive technical features recited in the present

application is that the gamma correction data is transmitted in a digital form, so as to

prevent the gamma voltages from being interfered easily on a transmission path thereof

and reduce the number of wires in the circuit layout.

As regards Claim 4, the Examiner held that "timing controller" of Claim 4 in the

present application is analogous to "clock generation circuit" in Naito (FIG. 9; 1008),

and "color management control block" analogous to "digital gamma correction circuit"

of Naito (FIG. 2; 220). However, Claim 4 clearly recites in part "a color management

control block, coupled to said timing controller" while Naito does not disclose, teach or

suggest at all the coupling relationship between "the digital gamma correction circuit

220" and "the clock generation circuit 1008." Therefore, Naito apparently does not

disclose each and every technical feature of Claim 4 of the preset application.

Application No.: 10/709,467

As regards Claim 5, the Examiner held that "processing unit" recited in Claim 5

of the instant case is analogous to "CPU in Naito (FIG. 1; 500), and further stated that

"color management control block" is analogous to "digital gamma correction circuit" in

Naito (FIG. 2; 220). However, as already clearly stated in Claim 5 that "said color

management control block includes a processing unit," "CPU 500" in the Naito

reference is not included in the "digital gamma correction circuit 220" but instead

externally coupled to the "digital gamma correction circuit 220" and thus not equivalent

to "the processing unit" of the instant case.

As regards Claim 6, the Examiner held that "programmable data interface"

recited in Claim 6 of the present application is analogous to "signal-processing circuit"

of Naito (FIGs. 1 and 2; 200). Claim 6 clearly recites in part "each of said plurality of

source drivers includes...a programmable data interface receiving said color

management data...." Hence, "programmable data interface" of the instant case is

included in the source drivers and receives the digital color management data outputted

by the timing sequence control unit. In contrast, the signal-processing circuit 200 in

FIG. 2 of Naito is not included in the data drive circuit 430, and Naito is silent about a

programmable data interface being included in the data drive circuit 430. Therefore,

Naito does not in any way disclose, teach or suggest "programmable data interface" of

Claim 6.

As regards Claim 8, the Examiner held that "INPUT" and "A/D 100" in FIG. 1

of Naito have disclosed "input interface" of Claim 8 of the instant case, "ASIC 210" in

Application No.: 10/709,467

FIG. 1 of Naito has disclosed "decoder" of Claim 8 of the instant case, and "D/A block

260" in FIG. 1 of Naito has disclosed "digital-to-analog converting unit" of Claim 8 of

the instant case. However, Claim 8 clearly recites in part "said programmable data

interface includes: an input interface...a decoder...a digital-to-analog converting unit,"

and Claim 6 of the instant case has also claimed that said programmable data interface

is included in each of the source drivers. However, none of "A/D 100," "ASIC 210,"

and "D/A block 260" of Naito is included in the data drive circuit 430. Accordingly,

Naito does not at all disclose, teach or suggest the technical features of Claim 8 of the

present application.

As shown in the arguments above, Applicant respectfully asserts that Naito

apparently does not disclose each and every technical feature of the present application

as claimed in Claim 1, and in Claims 4, 5, 6 and 8 directly or indirectly dependent

therefrom. The amendments Applicant has made to the relevant claims to change

"color management data" into "digital color management data" serve to further

distinguish the present application from the Naito reference. Applicant respectfully

submits that Claim 1 of the instant case is obviously novel and thus patentably defines

over Naito. The rejection of Claim 1 under 35 U.S.C. 102(b) is thus overcome and

rendered moot. If Claim 1 patently defines over Naito and is allowable, Claims 1-11

directly or indirectly dependent therefrom (including Claims 4, 5, 6 and 8 specifically

discussed above) should also be allowed. Still further, the novelty rejections of all the

pending claims in the present application based on Claim 1 thus no longer stand formal

and should be withdrawn.

Customer No.: 31561 Docket No.: 12919-US-PA Application No.: 10/709,467

For at least the foregoing reasons, all the pending Claims 1-21 of the present application are submitted to be in patentable form. Withdrawal of the rejections of all the claims and allowance of the application and presently pending claims, as amended, is most earnestly solicited.

Application No.: 10/709,467

CONCLUSION

For at least the foregoing reasons, it is believed that the pending Claims 1-21, the specification and the drawings are in proper condition for allowance. An action to such effect is most respectfully requested. If the Examiner believes that a telephone conference would expedite the examination of the above-identified patent application, the Examiner is invited to call the undersigned.

Respectfully submitted,

Date:

May 14. 2008

Belinda Lee

Registration No.: 46,863

Jianq Chyun Intellectual Property Office 7th Floor-1, No. 100 Roosevelt Road, Section 2 Taipei, 100 Taiwan

Tel: 011-886-2-2369-2800 Fax: 011-886-2-2369-7233

Email: <u>belinda@jcipgroup.com.tw</u>
Usa@jcipgroup.com.tw